

Benson

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1	(ignition adj plug) with (Hall adj sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 12:57
2	BRS	L2	4	(ignition adj plug) and (Hall adj sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 13:02
3	BRS	L3	1035	(ignition adj plug) and ("ECU")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 13:02
4	BRS	L4	369	(ignition adj plug) with ("ECU")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 13:03
5	BRS	L5	27	I4 and comparator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 13:32
6	BRS	L6	65	I3 and test	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 13:33

Benson

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	365522	class 324/380-393.ccls. and test	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 15:14
2	BRS	L2	200	l1 and (ignition adj coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 15:50
3	BRS	L3	19	"4447801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 15:52
4	BRS	L4	292	324/378.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 15:53
5	BRS	L5	55	l4 and comparator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 15:53
6	BRS	L6	19	l5 and test	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 15:56
7	BRS	L7	3	l6 and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 16:15
8	BRS	L8	99	324/380.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 16:16
9	BRS	L9	5	l8 and l5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 16:19
10	BRS	L10	190	324/402.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 16:20

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	28	l10 and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 17:05
12	BRS	L12	2	"6487899"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/22 17:05